

J 80



D

Juice extraction rate 120 litres/hour

A glass of ultra-fresh juice in just 7 seconds

E

PRODUCT FEATURES

MOTOR BASE

- **Induction direct drive motor** for intensive use.
- Very powerful, heavy-duty motor so quiet it can be used right in front of the customer
- Power: 700 W
- Stainless-steel bowl and motor unit
- Magnetic safety device and motor brake
- Constant speed: 3,000 rpm

JUICER FUNCTION

- All-metal juicer boasting our Auto Feed system (Ø 79 mm = whole apple) for continuous throughput
- Stainless-steel juicer basket, grating disc and filter for easy cleaning and aftercare
- No-splash spout
- High clearance (162 mm), allowing a jug or cocktail glass to be placed underneath the spout
- You can produce up to 135 glasses of juice before having to stop and empty the large-capacity pulp container

A

SALES FEATURES

The J80 juice extractor is designed to make large quantities of ultra-fresh juice from any type of fruit and vegetables in just a few seconds. No heating of ingredients. Vitamins are preserved.

B

TECHNICAL FEATURES

J 80 juicer - 230V/50/1. Power: 700 W. Constant speed: 3,000 rpm. Magnetic safety device and motor brake. Stainless-steel bowl and motor unit. Equipped with a large patented automatic feed tube (Ø 79 mm). Stainless-steel juicer basket, grating disc and filter. Extraction rate: 120 l/h, equivalent to one glass of fresh juice every 7 s. Supplied with a large 6.5-litre pulp container, drip tray and special no-splash spout.

C

TECHNICAL DATA

Power	700 Watts		
Electrical datas	Single phase - plug supplied		
Constant speed	3,000 rpm		
Dimensions (LxWxH)	235 x 538 x 506 mm		
Gross weight	13 kg		
	Supply	Amperage	Reference
	230V/50/1	7 Amp	56000B
	120V/60/1	9 Amp	56005B
	220V/60/1	6 Amp	56004B
	220V/60/1 SAU*	6 Amp	56210B

*For commercial use only

STANDARDS

EN 12100-1 and 2 - 2004, EN 60204- 1 - 2006, EN 1678 - 1998, EN 60529-2000: IP 55, IP 34.

